



**DOSTOPNA TOČKA TP-LINK OMADA  
OUTDOOR WIFI7 802.11BE 1XRJ45  
2,5GBE 21.5W POE (EAP772-  
OUTDOOR)**

**322,99€**

**SKU:** EAP772-Outdoor

**Kategorije:** [Dostopne točke](#), [Mrežna oprema](#)

**OPIS IZDELKA**

Maximum data transfer rate (6 GHz):

- 5760 Mbit/s

6 GHz:

- Yes

Maximum data transfer rate (2.4 GHz):

- 574 Mbit/s

VLAN support:

- Yes

MIMO type:

- Multi User MIMO

BeamForming:

- Yes

Maximum data transfer rate (5 GHz):

- 2880 Mbit/s

Airtime Fairness (ATF):

- Yes

Bluetooth version:

- 5.2

Quality of Service (QoS) support:

- Yes

Number of users:



- 380 user(s) AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227  
5 GHz:

- Yes

Networking standards:

- IEEE 802.11ax
- IEEE 802.11b
- IEEE 802.11a
- IEEE 802.11be
- IEEE 802.11ac
- IEEE 802.11g
- IEEE 802.11n

Bluetooth:

- Yes

Ethernet LAN data rates:

- 2500 Mbit/s

MIMO:

- Yes

2.4 GHz:

- Yes

Maximum data transfer rate:

- 9300 Mbit/s

Placement:

- Ceiling, Wall

Product colour:

- White

LED indicators:

- Yes

Remote Authentication Dial-In User Service (RADIUS):

- Yes

Security algorithms:

- WPA3-Personal
- WPA3-Enterprise
- WPA2-Enterprise
- SNMPv2
- SNMPv3
- WPA-Personal
- SNMP
- WPA2-Personal
- WPA-Enterprise

Number of SSID supported:

- 24

Access Control List (ACL):

- Yes



Service Set Identifier (SSID) features:  
AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

- Multiple SSIDs

MAC address filtering:

- Yes

Operating temperature (T-T):

- 0 - 40 °C

Operating relative humidity (H-H):

- 10 - 90%

Storage relative humidity (H-H):

- 5 - 90%

Storage temperature (T-T):

- -40 - 70 °C

Web-based management:

- Yes

Height:

- 32.5 mm

Depth:

- 220 mm

Width:

- 220 mm

AC adapter included:

- No

Mounting kit:

- Yes

Quantity per pack:

- 1 pc(s)

Ethernet LAN (RJ-45) ports:

- 1

Antenna type:

- Internal