



MONITOR IIYAMA 80 CM (31,5")
XB3270QSU-B1 2560X1440 100HZ
IPS 3MS 2XHDMI DISPLAYPORT
3XUSB3.2 PIVOT ZVOČNIKI
SRGB100% ADAPTIVESYNC PROLITE
273,99€

SKU: XB3270QSU

Kategorije: [Monitorji](#), [Poslovni monitorji](#)

OPIS IZDELKA

Glej XUB2797QSN-B2 model z USB-C

Iiyama Dis 32 Iiyama PL XB3270QSU-B1 IPS QHD, 16:9 HDMI DP 3ms SP Hö USB.

Obsežne podrobnosti

Vrsta

Barva

Diagonala slike (cm)

Diagonala slike (Zoll)

Resolucija

Standard ločljivosti

Reakcijski čas

Kontrastno razmerje

Svetlost

Horizontalni kot gledanja

Vrsta plošče

Splošno

Ploski zaslon (TFT/LCD)

Črna

Oglas

80 cm

31,5 "

2560 * 1440

WQHD (2560x1440)

3 ms

2000:1

250 cd/m²

178 °

IPS



Vrtenje AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Družna št.: SI16935381 Tel: 059 048 227

Video vmesniki

Zvočnik

Bildwiederholfrequenz (Hz)

Vmesniki/povezljivost

DisplayPort; HDMI

Audio

Da

Tehnične specifikacije

100 Hz

Diagonal 31.5", 80cm

Panel IPS Panel Technology LED, matte finish

Native resolution 2560 x 1440 @100Hz (3.7 megapixel WQHD)

Aspect ratio 16:9

Panel brightness 250 cd/m²

Static contrast 1200:1

Advanced contrast 80M:1

Response time (GTG) 3ms

Viewing zone horizontal/vertical: 178°/178°, right/left: 89°/89°, up/down: 89°/89°

Horizontal Sync 30 - 90kHz

Viewable area W x H 698.1 x 392.7mm, 27.5 x 15.5"

Pixel pitch 0.272mm

Colour matte, black

Signal input HDMI x2 (v.2.0)

DisplayPort x1 (v.1.4)

USB HUB x3 (v. 3.2 Gen (1, 5Gbit; 4.5W))

HDCP yes

Headphone connector yes

Blue light reducer yes

Flicker free yes

Adaptive Sync support yes

Extra i-Style colour

OSD languages EN, DE, FR, IT, RU, JP, CZ, NL, PL

Control buttons Power, Menu, Up / Right / Volume, Down / Left / Eco, Input/ Exit

User controls picture adjust (brightness, contrast, i-Style colour, ACR, Eco, OD, X-Res technology), colour settings (gamma, RGB range, colour temp.), image settings (video mode adjust, blue light reducer, sharp and soft), OSD (H. position, V. position, time, background, language), extra (reset, DDC / CI, LED, opening logo, Adaptive Sync, display information), input select (source), audio settings (volume, mute)

Speakers 2 x 2W

Convenience Kensington-lock prepared, DDC2B, Mac OSX

Display position adjustments tilt



Tilt angle 20° up; 4° down
AR-SET 0.0.0. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

VESA mounting 100 x 100mm

Cable management system yes

Cables power, USB, HDMI

DISPLAY CHARACTERISTICS01

INTERFACES / CONNECTORS / CONTROLS02

FEATURES03

MECHANICAL04

ACCESSORIES INCLUDED05

25.04.2024 10:20:43