



AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227



**MONITOR PHILIPS 68,6 CM (27,0")
27M2C5200W 1920X1080 CURVED
GAMING 240HZ IPS 0,5MS 2XHDMI
DISPLAYPORT 4XUSB3.2 HAS
SRGB119% FREESYNC PREMIUM PRO
EVNIA5000**

179,90€

SKU: 27M2C5200W

Kategorije: [Gaming monitorji](#), [Monitorji](#)

OPIS IZDELKA

Picture/Display

- LCD panel type: VA LCD
- Backlight type: W-LED system
- Panel Size: 27 inch / 68.5 cm
- Display Screen Coating: SAG 25%
- Effective viewing area: 596.736 (H) x 335.664 (V) - at a 1000R curvature*
- Pixel format: R.G.B. Vertical strip
- Aspect ratio: 16:9
- Maximum resolution: HDMI: 2560 x 1440 @ 144 Hz, DP: 2560 x 1440 @ 240 Hz
- Pixel Density: 108.79 PPI
- Response time (typical): 1 ms (Gray to Gray)*
- MPRT: 0.5 ms
- Low Input Lag
- Brightness: 400 cd/m²
- SmartContrast: Mega Infinity DCR
- Contrast ratio (typical): 3000:1
- Pixel pitch: 0.2331 x 0.2331 mm
- Viewing angle: 178° (H) / 178° (V), @ C/R > 10
- Flicker-free



• HDR: DisplayHDR 400 certified
AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

• Color gamut (typical): NTSC 98.5%*, sRGB 119%*

• Picture enhancement: SmartImage game

• Display colors: 16.7 M (8 bit)

• Scanning Frequency: HDMI: 30 - 230 kHz (H) / 48

- 144 Hz (V), DP: 30 - 255 kHz (H) / 48 - 240 Hz (V)

• SmartUniformity: 93 ~ 105%

• Delta E: < 2 (sRGB)

• LowBlue Mode

• EasyRead

• sRGB

• AMD FreeSync technology: Premium Pro

Connectivity

• Signal Input: HDMI 2.0 x 2, DisplayPort 1.4 x 2

• HDCP: HDCP 1.4 (HDMI / DisplayPort), HDCP

2.2 (HDMI / DisplayPort)

• USB Hub: USB 3.2 Gen 1 / 5 Gbps, USB-B

upstream x 1, USB-A downstream x 4 (with 2 for
fast charge B.C 1.2)

• Audio (In/Out): Audio out

• Sync Input: Separate Sync

Convenience

• MultiView: PIP/PBP mode, 2x devices

• User convenience: Power On/Off, Menu/OK,

Input/Up, Game Settings/Down, SmartImage game/
Back

• OSD Languages: Brazil Portuguese, Czech, Dutch,
English, Finnish, French, German, Greek,
Hungarian, Italian, Japanese, Korean, Polish,
Portuguese, Russian, Spanish, Simplified Chinese,
Swedish, Turkish, Traditional Chinese, Ukrainian

• Other convenience: Kensington lock, VESA mount
(100x100mm)

• Plug & Play Compatibility: DDC/CI, Mac OS X,
sRGB, Windows 11 / 10 / 8.1 / 8 / 7

Stand

• Height adjustment: 130 mm

• Swivel: -/+ 30 degree

• Tilt: -5/20 degree

Power

• On mode: 25.9 W (typ.)

• Standby mode: 0.5 W (typ.)

• Off mode: 0.3 W (typ.)



- Energy Label Class: F
- Power LED indicator: Operation - White, Standby mode- White (blinking)
- Power supply: Internal, 100-240VAC, 50-60Hz

Dimensions

- Product with stand(max height): 606 x 527 x 230 mm
- Product without stand (mm): 606 x 370 x 108 mm
- Packaging in mm (WxHxD): 785 x 483 x 190 mm

Weight

- Product with stand (kg): 6.25 kg
- Product without stand (kg): 5.00 kg
- Product with packaging (kg): 10.28 kg