



OSNOVNA PLOŠČA 1700 ASUS ROG STRIX Z790-A GAMING WIFI II ATX 1XHDMI 2.1 1XDISPLAYPORT 1.4

405,99€

SKU: 340660

[MB 1700](#), [Osnovne plošče](#), [Računalniški deli](#)

OPIS IZDELKA

PODNOŽJE: INTEL LGA1700

ZA PROCESORJE: Intel 12/13/14th Generation Core i7/i5/i3/Pentium/Celeron

FORMAT: ATX Form Factor 30.5 x 24.4 cm

VEZNI ČIP: Intel Z790 Express

POMNILNIK:

4 x DDR5

(8000+(OC)/7800(OC)/7600(OC)/7400(OC)/7200(OC)/7000(OC)/6800(OC)/6600(OC)/6400(OC)/6200(OC)/ 6000(OC)/ 5800(OC)/ 5600/ 5400/ 5200/ 5000/ 4800MHz) do skupno 192GB kapacitete, dual channel in Extreme Memory Profile (XMP) OptiMem II podpora, ASUS Enhanced Memory Profile II (AEMP II)

GRAFIKA: preko CPU

RAID: DA (0,1,5,10)

RAZŠIRITVENE REŽE:

1 x PCIe 5.0/4.0/3.0 x16 (x16 mode)

1 x PCIe 4.0 x16 slot (supports x4 mode)

1 x PCIe 3.0 x1 slots

MREŽNA KARTICA: Intel 2.5GbE LAN chip ASUS LANGuard + 2x2 Intel Wi-Fi 7 supporting 2.4/5/6 GHz + BLUETOOTH 5.4

ZVOČNA KARTICA: ROG SupremeFX 5.1 Surround Sound High Definition Audio CODEC ALC4080

NOTRANJI PRIKLJUČKI:

Fan and Cooling Related



1 x 4-pin CPU Fan header
AR-SET 0.0.6. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

1 x 4-pin CPU OPT Fan header

1 x 4-pin AIO Pump header

5 x 4-pin Chassis Fan headers

Power Related

1 x 24-pin main power connector

2 x 8-pin +12V power connector

Storage Related

5 x M.2 slots (Key M)

4 x SATA 6Gb/s ports

USB

1 x USB 20Gbps connector (supports USB Type-C)

1 x USB 5Gbps header supports 2 additional USB 5Gbps ports

2 x USB 2.0 headers support 4 additional USB 2.0 ports

Miscellaneous

3 x Addressable Gen 2 headers

1 x Aura RGB header

1 x CPU Over voltage jumper

1 x Front panel audio header (F_AUDIO)

1 x 20-3 pin system panel header with Chassis intrude function

1 x Thermal sensor header

1 x Thunderbolt (USB4) header

ZUNANJJI PRIKLJUČKI:

1 x USB 20Gbps port (1 x USB Type-C)

3 x USB 10Gbps ports (2 x Type-A+1 x USB Type-C)

4 x USB 5Gbps ports (4 x Type-A)

4 x USB 2.0 ports (4 x Type-A)

1 x DisplayPort

1 x HDMI port

1 x Wi-Fi module

1 x Intel 2.5Gb Ethernet

2 x Audio jacks

1 x Optical S/PDIF out port

1 x BIOS FlashBack button

1 x Clear CMOS button

DODATNO:

Extreme Engine Digi+

- 5K Black metallic capacitors

ASUS Q-Design

- M.2 Q-Latch

- PCIe Slot Q-Release

- Q-Antenna



- Q-DIMM
- Q-LED (CPU [red], DRAM [yellow], VGA [white], Boot Device [yellow green]) with DRAM Detection
- Q-Slot

ASUS Thermal Solution

- M.2 heatsink backplate
- M.2 heatsink
- VRM heatsink design

ASUS EZ DIY

- BIOS FlashBack button
- BIOS FlashBack LED
- Clear CMOS button
- CPU Socket lever protector
- ProCool II
- Pre-mounted I/O shield
- SafeSlot
- SafeDIMM

Aura Sync

- Aura RGB header
- Addressable Gen 2 headers

Front Panel USB 20Gbps with PD Fast Charge Support

- Support: up to 30W charging
- Support: USB power delivery notification with power output wattage display
- Output: 5V/9V max. 3A, 12V max 2.5A
- Compatible with PD3.0

Software Features

ROG Exclusive Software

- ROG CPU-Z
- DTS Sound Unbound

ASUS Exclusive Software

Armoury Crate

- AIDA64 Extreme (60 days free trial)
- Aura Creator
- Aura Sync
- Fan Xpert 4 (with AI Cooling II)
- GameFirst
- Power Saving
- Sonic Studio
- Two-Way AI Noise Cancelation

AI Suite 3

- Easy Optimization with AI Overclocking
- TPU
- DIGI+ VRM
- Turbo app



- PC Cleaner AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

MyASUS

USB Wattage Watcher

Intel Unison

Adobe Creative Cloud (Free Trial)

Norton 360 for Gamers (60 Days Free Trial)

WinRAR (40 Days Free Trial)

UEFI BIOS

AI Overclocking Guide

ASUS EZ DIY

- ASUS CrashFree BIOS 3

- ASUS EZ Flash 3

- ASUS UEFI BIOS EZ Mode

- ASUS MyHotkey

FlexKey

MemTest86

Spletna stran

proizvajalca: <https://rog.asus.com/motherboards/rog-strix/rog-strix-z790-a-gaming-wifi-ii/>