AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227



OSNOVNA PLOŠČA AM5 GIGABYTE B850M DS3H ATX HDMI 2XDISPLAYPORT

194,99€

SKU: B850M-DS3H
MB AMD AM5, Osnovne plošče, Računalniški deli

OPIS IZDELKA

PODNOŽJE: AMD AM5
ZA PROCESORJE: AMD RYZEN 7000/8000/9000 Series
FORMAT: micro ATX format 24.4 cm x 24.4 cm
VEZNI ČIP: AMD B850
POMNILNIK:
4 x DDR5 DIMM non-ECC
8200/8000(OC)/7800(OC)/7600(OC)/7200(OC)/7000(OC)/6800(OC)/6666(OC)/6600(OC)/6400(OC)/6200(OC)/ 6000(OC)/5600(OC)/5200/4800/4400MHz (odvisno od procesorja) do skupno 256GB kapacitete, dual channel in EXtended Profiles for Overclocking, Extreme Memory Profile (XMP) podpora
GRAFIKA: DA - preko APU
RAID: DA (0,1,10) support for SATA/NVME storage devices
RAZŠIRITVENE REŽE:
1 x PCI Express x16 slot (PCIEX16), integrated in the CPU:
AMD Ryzen 9000/7000 Series Processors support PCIe 5.0 x16 mode
AMD Ryzen 8000 Series-Phoenix 1 Processors support PCIe 4.0 x8 mode
AMD Ryzen 8000 Series-Phoenix 2 Processors support PCIe 4.0 x4 mode
Chipset:
1 x PCI Express x16 slots, supporting PCIe 3.0 and running at x1
MREŽNA KARTICA: Realtek 2.5GbE LAN chip (10/100/1000Mbit/2.5Gbit)
ZVOČNA KARTICA: Realtek Audio codec High Definition Audio (2/4/5.1/7.1-channel)

NOTRANJI PRIKLJUČKI:
1 x 24-pin ATX main power connector
1 x 8-pin ATX 12V power connector
1 x CPU fan header
1 x CPU fan/water cooling pump header
1 x system fan header
1 x system fan/water cooling pump header
3 x addressable RGB Gen2 LED strip headers
1 x RGB LED strip header
4 x SATA 6Gb/s connectors
2 x M.2 Socket 3 connectors
1 x front panel header
1 x front panel audio header
1 x USB Type-C header, with USB 3.2 Gen 2 support
1 x USB 3.2 Gen 1 header
2 x USB 2.0/1.1 headers
1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only)
1 x reset button
1 x reset jumper
1 x Clear CMOS jumper
ZUNANJI PRIKLJUČKI:
1 x HDMI port (Note)
2 x DisplayPorts (Note)
1 x Q-Flash Plus button
1 x PS/2 keyboard/mouse port
1 x USB 3.2 Gen 2 Type-A ports (red)
1 x USB Type-C port, with USB 3.2 Gen 2 support
2 x USB 3.2 Gen 1 ports
4 x USB 2.0/1.1 ports
1 x RJ-45 port
3 x audio jacks
DODATNO:

iTE I/O Controller Chip
H/W Monitoring
Voltage detection
Temperature detection
Fan speed detection
Water cooling flow rate detection
Fan fail warning
Fan speed control
BIOS

1 x 256 Mbit flash
Use of licensed AMI UEFI BIOS
PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0
Unique Features
Support for GIGABYTE Control Center (GCC)
Support for Q-Flash
Support for Q-Flash Plus
Support for Smart Backup
Bundled Software
Norton Internet Security (OEM version)
LAN bandwidth management software

Spletna stran proizvajalca: https://www.gigabyte.com/Motherboard/B850M-DS3H#kf