



OSNOVNA PLOŠČA AM5 GIGABYTE DS3H ATX HDMI 2XDISPLAYPORT

178,99€



SKU: B850M-DS3H

[MB AMD AM5](#), [Osnovne plošče](#), [Računalniški deli](#)

OPIS IZDELKA

PODNOŽJE: AMD AM5

ZA PROCESORJE: AMD RYZEN 7000/8000/9000 Series

FORMAT: micro ATX format 24.4 cm x 24.4 cm

VEZNI ČIP: AMD B850

POMNILNIK:

4 x DDR5 DIMM non-ECC

8200/8000(OC)/7800(OC)/7600(OC)/7200(OC)/7000(OC)/6800(OC)/6666(OC)/6600(OC)/6400(OC)/6200(OC)/ 6000(OC)/5600(OC)/5200/4800/4400MHz (odvisno od procesorja) do skupno 256GB kapacitete, dual channel in EXtended Profiles for Overclocking, Extreme Memory Profile (XMP) podpora

GRAFIKA: DA - preko APU

RAID: DA (0,1,10) support for SATA/NVME storage devices

RAZŠIRITVENE REŽE:

1 x PCI Express x16 slot (PCIEX16), integrated in the CPU:

AMD Ryzen 9000/7000 Series Processors support PCIe 5.0 x16 mode

AMD Ryzen 8000 Series-Phoenix 1 Processors support PCIe 4.0 x8 mode

AMD Ryzen 8000 Series-Phoenix 2 Processors support PCIe 4.0 x4 mode

Chipset:

1 x PCI Express x16 slots, supporting PCIe 3.0 and running at x1

MREŽNA KARTICA: Realtek 2.5GbE LAN chip (10/100/1000Mbit/2.5Gbit)

ZVOČNA KARTICA: Realtek Audio codec High Definition Audio (2/4/5.1/7.1-channel)



NOTRANJI PRIKLJUČKI:

AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

- 1 x 24-pin ATX main power connector
- 1 x 8-pin ATX 12V power connector
- 1 x CPU fan header
- 1 x CPU fan/water cooling pump header
- 1 x system fan header
- 1 x system fan/water cooling pump header
- 3 x addressable RGB Gen2 LED strip headers
- 1 x RGB LED strip header
- 4 x SATA 6Gb/s connectors
- 2 x M.2 Socket 3 connectors
- 1 x front panel header
- 1 x front panel audio header
- 1 x USB Type-C header, with USB 3.2 Gen 2 support
- 1 x USB 3.2 Gen 1 header
- 2 x USB 2.0/1.1 headers
- 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only)
- 1 x reset button
- 1 x reset jumper
- 1 x Clear CMOS jumper

ZUNANJI PRIKLJUČKI:

- 1 x HDMI port (Note)
- 2 x DisplayPorts (Note)
- 1 x Q-Flash Plus button
- 1 x PS/2 keyboard/mouse port
- 1 x USB 3.2 Gen 2 Type-A ports (red)
- 1 x USB Type-C port, with USB 3.2 Gen 2 support
- 2 x USB 3.2 Gen 1 ports
- 4 x USB 2.0/1.1 ports
- 1 x RJ-45 port
- 3 x audio jacks

DODATNO:

- iTE I/O Controller Chip
- H/W Monitoring
- Voltage detection
- Temperature detection
- Fan speed detection
- Water cooling flow rate detection
- Fan fail warning
- Fan speed control
- BIOS



1 x 256 Mbit flash

AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

Use of licensed AMI UEFI BIOS

PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0

Unique Features

Support for GIGABYTE Control Center (GCC)

Support for Q-Flash

Support for Q-Flash Plus

Support for Smart Backup

Bundled Software

Norton Internet Security (OEM version)

LAN bandwidth management software

Spletna stran proizvajalca: <https://www.gigabyte.com/Motherboard/B850M-DS3H#kf>