



AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

STIKALO 2-PORT TP-LINK OMADA CLOUD CONTROLLER 10/100 POE (OC200)

162,99€



SKU: OC200

Kategorije: [Mrežna oprema](#), [Stikala](#)

OPIS IZDELKA

Omada Wi-Fi omrežni krmilnik

Dostopen prek neposrednega dostopa, Cloud portala ali Mobile app

Prednameščena programska oprema Omada controller

Tehnični podatki:

HARDWARE FEATURES

Interface	2 x 10/100Mbps Ethernet Port 1 x USB 2.0 Port for configuration backup 1 x Micro USB Port for power
Power Supply	802.3af/at PoE or Micro USB DC 5V/Minimum 1A
Power Consumption	5 W



HARDWARE FEATURES

Dimensions

3.9×3.9×1.0in.
(100×98×25mm)

FEATURES

Management Scale

100 EAPs

Wireless Fuction

L3 Management
Multi-SSID
Load Balance
Band Steering
Airtime Fairness
Beamforming
Rate Limit
Wireless Schedule
QoS

Wireless Security

WEP/WPA-PSK/WPA2-
PSK/WPA/WPA2 Encryption
Access Control
SSID to VLAN Mapping
Guest Network

AP Management

Support Omada EAP Series
Cloud Access
Omada App Support
Reboot& Wireless Schedule
Auto Backup & Restore
Batch Firmware Upgrade

Authentication

Captive Portal

OTHERS

Certification

CE, FCC, RoHS



OTHERS

Package Contents	Omada Cloud Controller OC200 Quick Installation Guide Ethernet Cable
System Requirements	Microsoft Windows 10, 8, 7, Vista, XP or MAC OS, NetWare, UNIX or Linux
Environment	Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

Spletna stran proizvajalca:

https://www.tp-link.com/us/products/details/cat-4908_OC200.html#overview