


# STIKALO 2-PORT TP-LINK OMADA CLOUD CONTROLLER 10/100 POE (OC200)

**162,99€**

**SKU:** OC200
**Kategorije:** Mrežna oprema, Stikala

## OPIS IZDELKA

Omada Wi-Fi omrežni krmilnik
Dostopen prek neposrednega dostopa, Cloud portala ali Mobile app
Prednameščena programska oprema Omada controller

Tehnični podatki:

| HARDWARE FEATURES | |
|---|---|
| Interface | 2 x 10/100Mbps Ethernet Port<br>1 x USB 2.0 Port for configuration backup<br>1 x Micro USB Port for power |
| Power Supply | 802.3af/at PoE or Micro USB□DC 5V/Minimum 1A□ |
| Power Consumption | 5 W |

## HARDWARE FEATURES

| | |
|---|---|
| Dimensions | 3.9×3.9×1.0in.<br>(100×98×25mm) |

## FEATURES

| | |
|---|---|
| Management Scale | 100 EAPs |
| Wireless Fuction | L3 Management<br>Multi-SSID<br>Load Balance<br>Band Steering<br>Airtime Fairness<br>Beamforming<br>Rate Limit<br>Wireless Schedule<br>QoS |
| Wireless Security | WEP/WPA-PSK/WPA2-PSK/WPA/WPA2 Encryption<br>Access Control<br>SSID to VLAN Mapping<br>Guest Network |
| AP Management | Support Omada EAP Series<br>Cloud Access<br>Omada App Support<br>Reboot& Wireless Schedule<br>Auto Backup & Restore<br>Batch Firmware Upgrade |
| Authentication | Captive Portal |

## OTHERS

| | |
|---|---|
| Certification | CE, FCC, RoHS |

## OTHERS

| | |
|---|---|
| Package Contents | Omada Cloud Controller OC200<br>Quick Installation Guide<br>Ethernet Cable |
| System Requirements | Microsoft Windows10, 8, 7,Vista, XP or MAC OS, NetWare, UNIX or Linux |
| Environment | Operating Temperature: 0℃~40℃ (32℉~104℉)<br>Storage Temperature: -40℃~70℃ (-40℉~158℉)<br>Operating Humidity: 10%~90% non-condensing<br>Storage Humidity: 5%~90% non-condensing |

Spletna stran proizvajalca:
https://www.tp-link.com/us/products/details/cat-4908_OC200.html#overview