



STIKALO 4-PORT + 2X SFP UBIQUITI USW-PRO-MAX-48 100/1000/2500 (USW-PRO-MAX-48)

1.078,99€

SKU: USW-Pro-Max-48

Kategorije: [Mrežna oprema](#), [Stikala](#)



OPIS IZDELKA

Compliance certificates:

- Federal Communications Commission (FCC)
- CE
- Industry Canada (IC)

LED indicators:

- Link
- Speed
- Status
- Network

Stackable:

- Yes

Housing material:

- SGCC

Reset button:

- Yes

Form factor:

- 1U

Product colour:

- Grey

Display type:

- LCM



Rack mounting: AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

- Yes

AC input voltage:

- 100 - 240 V

Power consumption (max):

- 100 W

Redundant power supply (RPS) support:

- Yes

AC input frequency:

- 50/60 Hz

Power supply included:

- Yes

Power source:

- AC/DC

Loop protection:

- Yes

IGMP snooping:

- Yes

DHCP features:

- DHCP relay

- DHCP snooping

Operating temperature (T-T):

- -5 - 40 °C

Operating relative humidity (H-H):

- 10 - 90%

Switch layer:

- L3

Weight:

- 4.8 kg

Depth:

- 325 mm

Height:

- 43.7 mm

Width:

- 442.4 mm

Networking standards:

- IEEE 802.1x

10G support:

- Yes

Port mirroring:

- Yes

VLAN support:

- Yes



Broadcast storm control: AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

- Yes

Virtual LAN features:

- Voice VLAN

Flow control support:

- Yes

Rate limiting:

- Yes

Mounting brackets included:

- Yes

Cables included:

- Power

Power connector:

- AC/DC

Basic switching RJ-45 Ethernet ports type:

- 2.5G Ethernet (100/1000/2500)

Gigabit Ethernet (copper) ports quantity:

- 32

Basic switching RJ-45 Ethernet ports quantity:

- 48

SFP+ module slots quantity:

- 4

2.5G Ethernet (copper) ports quantity:

- 16

Switching capacity:

- 224 Gbit/s

Throughput:

- 112 Gbit/s

Jumbo frames support:

- Yes

Forwarding rate:

- 166.656 Mpps

Static route:

- Yes

Power over Ethernet (PoE):

- No