



AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227



**USMERJEVALNIK BREZŽIČNI ASUS
RT-AXE7800 WIFI6E 802.11AX
AX7800 4804MBIT/S TRIBAND
OFDMA MU-MIMO MESH 3XLAN
1XLAN/WAN2,5GB 1XLAN/WAN1GB
6X ANTENA (90IG07B0-MU9B00)**

317,99€

SKU: RT-AXE7800

Kategorije: [Mrežna oprema](#), [Usmerjevalniki](#)

OPIS IZDELKA

AXE7800 Tri-band WiFi 6E (802.11ax) usmerjevalnik, nov 6GHz pas, ASUS varno brskanje, izboljšana omrežna varnost z AiProtection Pro in Instant Guard Sharable Secure VPN, brezplačen starševski nadzor, 2,5G vrata, združevanje povezav.

Izjemno hitra tehnologija WiFi 6E – Popolnoma nov pas 6 GHz dramatično poveča zmogljivost omrežja, zagotavlja višjo zmogljivost WiFi in stabilnejšo povezljivost s hitrostmi do 7800 Mbps.

Varno brskanje z enim dotikom – blokirajte neželeno vsebino z ASUS Varnim brskanjem in zaščitite svoje otroke na spletu s filtriranjem nazorne vsebine iz rezultatov iskanja.

Izboljšana varnost kjer koli – zaščitite svoje domače omrežje z brezplačno doživljenjsko naročnino na AiProtection Pro, ki ga poganja Trend Micro. Ko ste zdoma, vam ASUS Instant Guard nudi varen VPN z enim klikom.

Brezplačni starševski nadzor – bolj prilagodljive prilagoditve za zaščito vaših otrok na spletu.

Podprto za AiMesh – razširite svoje brezžično omrežje z usmerjevalniki, združljivimi z ASUS AiMesh, in uživajte v zmogljivem, prilagodljivem in brezhibnem WiFi-ju za celoten dom.

Podprti standardi: IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE 802.11ax, IPv4, IPv6

Frekvenca:

2.4GHz 2x2

5GHz 4x4

6GHz 2x2



Hitrost: žična 10/100/1000Mbps, brezžična do 574+4804+2402 Mbps

Antena: 6 x zunanja

Zaščite: WPA3-Personal, WPA2-Personal, WPA-Personal, WPA-Enterprise, WPA2-Enterprise, WPS support

Priključki:

1 x 2.5G Mbps for WAN/LAN

1 x RJ45 10/100/1000Mbps for WAN/LAN

3 x RJ45 10/100/1000Mbps for LAN

1 x USB 3.2 Gen 1 Port

Funkcije: AiMesh, Primary AiMesh router, AiMesh node, ASUS Router APP, Support Alexa skill, AiProtection Pro, AiProtection, Malicious site blocking, Two-Way IPS, Infected Device Prevention and Blocking, Parental Control, Parental Control Customized Internet schedule, Maximum Parental Control profile : 64, Maximum Parental Control content filter rule : 64

Dimenzije:

Teža: 1033g

Dodatno:

Adaptive QoS

Bandwidth Monitor

Bandwidth limiter

Maximum Bandwidth limiter rule : 32

Traditional QoS

Maximum Traditional QoS rule : 32

Traffic Monitor

Real-time traffic monitor

Wired Traffic Monitor

Wireless Traffic Monitor

Traffic Analyzer

Traffic analysis period : Daily, Weekly, Monthly

Website history

IPv6

MU-MIMO

Wi-Fi Encryption : WPA3-Personal, WPA2-Personal, WPA-Personal, WPA-Enterprise, WPA2-Enterprise, WPS support

UTF-8 SSID

Guest Network

Maximum Guest Network rule : 2.4 GHz x 3, 5 GHz-1 x 3, 6 GHz x 3

Guest Network Connection time limit

Guest Network Encryption : Open system, WPA/WPA2/WPA3-Personal, WPS WPS

WiFi MAC address filter

Maximum MAC filters : 64

Wireless scheduler



Airtime fairness
RADIUS Client
Universal beamforming
Explicit beamforming
Internet connection Type : PPPoE, PPTP, L2TP, Automatic IP, Static IP
Dual WAN
WAN Aggregation
3G/4G LTE dongle
Android tethering
Port forwarding
Maximum port forwarding rule : 64
Port triggering
Maximum port triggering rule : 32
DMZ
DDNS
NAT Passthrough : PPTP Pass-Through, L2TP Pass-Through, IPSec Pass-Through, RTSP Pass-Through, H.323 Pass-Through, SIP Passthrough, PPPoE relay
Let's Encrypt
Safe browsing
DNS-over-TLS
DHCP Server
IPTV
LAN Link Aggregation
Manually assign IP address
Maximum manually assign IP address rule : 64
Instant Guard
VPN Client L2TP
VPN Client OVPN
VPN Client PPTP
VPN Client WireGuard
VPN Server IPSec
VPN Server OVPN
VPN Server PPTP
VPN Server WireGuard
VPN Fusion
File System : HFS+, NTFS, vFAT, ext2, ext3, ext4
3G/4G LTE dongle
HDD hibernation
Safely Remove disk
AiCloud
Download master
AiDisk
Media Server



Time Machine AR-SET d.o.o. Dobravica 10 A 8310 Šentjernej Davčna št.: SI16935381 Tel: 059 048 227

Samba Server

FTP Server

Shared Folder privileges

Operating mode : Router(AiMesh router), AiMesh node, Access point, Repeater, Media bridge

Operating system : ASUSWRT

Free OS upgrade

Firewall

Maximum Firewall keyword filter : 64

Maximum Firewall network service filter : 32

Maximum Firewall URL filter : 64

SSH

Wake on LAN (WOL)

Configuration backup and restore

Diagnosis tools

Feedback system

System log

New Device Connect Notification

Login Captcha

Connection Diagnosis

Security Scan

Auto Firmware Update