



BLUETOOTH LOGILINK MICRO USB 2.0 V4.0 100M (BT0037)

SKU: BT0037

Kategorije: [Brezžične naprave](#), [Mrežna oprema](#), [UPS](#)

OPIS IZDELKA

Bluetooth V4.0 (združljivo s prejšnjimi verzijami)
Frekvenca prenosa: 2,402-2,480 ISM Band
Hitrost prenosa: 3 Mbit/s
Max. razdalja: 100 m
Chipset: CSR / BC8510
Priključek: USB 2.0 (kompatibilno z USB 1.1.)
Primerno za Win XP, Vista, Win 7, Win 8, Win 10
Plug & Play
Velikost: 23 x 14,2 x 4,5 mm

VEČ PODATKOV

Vmesniki

Tehnologija povezovanja	Brezžična
Za notranjo vgradnjo	-
Vmesnik HOST	USB
Vmesnik	Bluetooth



Pasovna širina

Hitrost prenosa podatkov (max)	3 Mbit/s
--------------------------------	----------

Povezljivost

Bluetooth profili	A2DP, APTX, AVBCP, BIP, BPP, DUN, FTP, GAP, GATT, GAVDP, HCRP, HFD, OPP, Pan, PBAP, SPP, SYNCH
Frekvenčni pas	2.402 - 2.480

ANTENA

ANTENA	Da
--------	----

Napajanje

Vhodna napetost	5
-----------------	---

Oblika

Barva izdelka	Črna, srebrna
---------------	---------------

Splošno

Podprti operacijski sistemi Win	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Pro, Windows 10 Pro x64, Windows 10 Home, Windows 10 Home x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Professional, Windows XP Professional x64, Windows XP
---------------------------------	---

Mere in masa

Širina	14.2 mm
Globina	23 mm
Višina	4.5 mm
Masa	2.4 g
Širina embalaže	125 mm
Globina embalaže	108 mm
Višina embalaže	14 mm
Btto masa skupaj z embalažo	250 g

Pogoji uporabe

Delovna temperatura (TT)	-10 - 50 °C
Temperatura skladiščenja (TT)	-20 - 60 °C



Pakiranje

Količina pakiranja

1 kos

UPORABNE POVEZAVE

- <https://media.itscope.com/di/pdf/47927921-1934.pdf>
- <https://www.e-misija.si/pdf/BT0037.pdf>