



## WLAN PCI-E ASUS PCE-AC56 802.11A/B/G/N/AC, 1267MBPS

**SKU:** PCE-AC56

**Kategorije:** [Brezžične naprave](#), [Mrežna oprema](#), [UPS](#)

### OPIS IZDELKA

---

Vmesnik: PCI-Express

Antena: 2 x R SMA Antenna

Frekvenca: 2.4 / 5GHz

Hitrost: do 1267Mbps (400+867Mbps)

Zaščita: 64-bit WEP, 128-bit WEP, WPA2-PSK, WPA-PSK, WPS support

Podprti sistemi: Windows® XP/Vista/7/8/8.1 32bit/64bit

Podprti standardi: 802.11a/b/g/n/ac

Dodatno: Low profile nosilec priložen, zunanji antenski sprejemnik z magnetnim dnom

Spletna stran proizvajalca: <http://www.asus.com/Networking/PCEAC56/overview/>

### VEČ PODATKOV

---



## Vmesniki

|                         |           |
|-------------------------|-----------|
| Tehnologija povezovanja | Brezžična |
| Za notranjo vgradnjo    | Da        |
| Vmesnik HOST            | PCI-E     |
| Vmesnik                 | WLAN      |

## Pasovna širina

|                                |             |
|--------------------------------|-------------|
| Hitrost prenosa podatkov (max) | 1300 Mbit/s |
|--------------------------------|-------------|

## Povezljivost

|                |   |
|----------------|---|
| LAN standardi  | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n |
| Modulacija     | 16-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM                               |
| Frekvenčni pas | 2.4 - 5   |

## Brezžične Wi-Fi LAN funkcije

|                    |   |
|--------------------|---|
| Wi-Fi              | Da  |
| Top Wi-Fi standard | IEEE 802.11ac   |
| Wi-Fi standardi    | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n |

## ANTENA

|        |    |
|--------|----|
| ANTENA | Da |
|--------|----|

## Oblika

|               |             |
|---------------|-------------|
| Barva izdelka | Multicolour |
|---------------|-------------|

## Splošno

|                     |   |
|---------------------|---|
| Varnostni algoritmi | 128-bit WEP, 64-bit WEP, WPA-PSK, WPA2-PSK, WPS |
|---------------------|---|

## Mere in masa

|         |          |
|---------|----------|
| Širina  | 99.1 mm  |
| Globina | 120.9 mm |
| Višina  | 21.6 mm  |
| Masa    | 105 g    |

## Certifikati

|           |                     |
|-----------|---------------------|
| Skladnost | CE, FCC, C-Tick, IC |
|-----------|---------------------|



## Pogoji uporabe

|                                      |             |
|--------------------------------------|-------------|
| Delovna temperatura (TT)             | 0 - 40 °C   |
| Temperatura skladiščenja (TT)        | -20 - 65 °C |
| Delovna relativna vlažnost (HH)      | 10 - 90%    |
| Relativna vlažnost skladiščenja (HH) | 10 - 90%    |

## UPORABNE POVEZAVE

---

- <https://media.itscope.com/di/pdf/43301004-2403-manual.pdf>